ASTHMA CARE PLAN FOR EDUCATION AND CARE SERVICES

CONFIDENTIAL: Staff are trained in asthma first aid (see overleaf) and can provide routine asthma medication as authorised in this care plan by the treating doctor. Please advise staff in writing of any changes to this plan.

emergency medical personnel.

To be completed by the treating doctor and parent/guardian, for supervising staff and PLEASE PRINT CLEARLY Plan date _/___/20___ Student's name: DOB: Review date _/___/20_ MANAGING AN ASTHMA ATTACK Staff are trained in asthma first aid (see overleaf). Please write down anything different this student might need if they have an asthma attack: DAILY ASTHMA MANAGEMENT This student's usual asthma signs: Frequency and severity: Known triggers for this student's asthma (e.g. exercise*, colds/flu, smoke) — Cough Daily/most days please detail: Wheeze Frequently (more than 5 x per year) Difficulty breathing Occasionally (less than 5 x per year) Other (please describe): Other (please describe) Does this student usually tell an adult if s/he is having trouble breathing? Yes No Does this student need help to take asthma medication? Yes No Does this student use a mask with a spacer? Yes *Does this student need a blue/grey reliever puffer medication before exercise? Yes Nο MEDICATION PLAN If this student needs asthma medication, please detail below and make sure the medication and spacer/mask are supplied to staff. NAME OF MEDICATION AND COLOUR **DOSE/NUMBER OF PUFFS** TIME REQUIRED **DOCTOR** PARENT/GUARDIAN **EMERGENCY CONTACT INFORMATION** HARENI/GUARDIAN
I have read, understood and agreed with this care plan and any attachments listed. I approve the release of this information to staff and emergency medical personnel. I will notify the staff in writing if there are any changes to these instructions. I understand staff will seek emergency medical help as needed and that I am responsible for payment of any emergency medical costs. Name of doctor Contact name Address Phone Phone Signature Mobile Date Signature Date Name Email



Date of approval: June 2018 | Approved by: CEO Asthma Australia | Date of review: June 2018 | AACPED2018 Care Plan for Schools A4 | 6 June 2018

PHOTO OF STUDENT (OPTIONAL)

ASTHMA FIRST AID





SIT THE PERSON UPRIGHT

- Be calm and reassuring
- Do not leave them alone

2



GIVE 4 SEPARATE PUFFS OF BLUE/GREY RELIEVER PUFFER

- Shake puffer
- Put 1 puff into spacer
- Take 4 breaths from spacer
- Repeat until 4 puffs have been taken
- Remember: Shake, 1 puff, 4 breaths

OR give 2 separate doses of a Bricanyl inhaler (age 6 & over) or a Symbicort inhaler (over 12)

3



WAIT 4 MINUTES

 If there is no improvement, give 4 more separate puffs of blue/grey reliever as above

OR give 1 more dose of Bricanyl or Symbicort inhaler

IF THERE IS STILL NO IMPROVEMENT

4



DIAL TRIPLE ZERO (000)

- Say <u>'ambulance'</u> and that someone is having an asthma attack
- Keep giving <u>4 separate puffs</u> every <u>4 minutes</u> until emergency assistance arrives

OR give 1 dose of a Bricanyl or Symbicort every 4 minutes – up to 3 more doses of Symbicort



Translating and Interpreting Service 131 450



Contact Asthma Australia

1800 ASTHMA (1800 278 462)

asthma.org.au

CALL EMERGENCY ASSISTANCE IMMEDIATELY AND DIAL TRIPLE ZERO (000) IF:

- the person is not breathing
- the person's asthma suddenly becomes worse or is not improving
- the person is having an asthma attack and a reliever is not available
- you are not sure if it's asthma
- the person is known to have Anaphylaxis follow their Anaphylaxis Action Plan, then give Asthma First Aid

Blue/grey reliever medication is unlikely to harm, even if the person does not have asthma.